

[Network Cameras](#)

[Performance Series IP Cameras](#)

Upgrading to IP has never been so easy and affordable. Honeywell's Performance Series IP cameras are fully featured, competitively priced cameras that pair perfectly with a 4/8/16 32/64-channel Performance Series Embedded NVR.

Choose from a full range of IP cameras that includes up to Ultra HD 4k definition True Day/ Night IR mini-dome, bullet and ball cameras to give you greater flexibility to get the solution that's right for your installation. Designed with open IP standards, including ONVIF Profile S, our IP network cameras offer superb picture quality and seamless integration to our Honeywell video NVR solutions.+

- IR LEDs provide up to 60 m of illumination in dimly lit or night-time scenes
- Smart IR technology for even distribution of IR
- Waterproof (IP66) camera housings are perfect for outdoor installations
- Range includes both motorized focus/zoom and fixed lenses for a wide range of field of view options
- Quick wizard and PoE support plug-and-play and make setup fast and easy Conceal up to 4 areas of a scene from viewing and recording
- Monitor from anywhere using HonView Touch Mobile App
- Onboard video storage options supporting up to 128 GB

A) [Bullet Cameras](#)



[HBD2PER1 \(Data Sheet\)](#)

2MPx IP Bullet Camera, 3.6mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265+ Compression, 12VDC / PoE Input, IP66 Enclosure

[HBW4PER1 \(Data Sheet\)](#)

4MPx IP Bullet Camera, 3.6mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265+ Compression, 12VDC / PoE Input, IP66 Enclosure

[HBD8PR1 \(Data Sheet\)](#)

8MPx IP Bullet Camera, 4mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265 Compression, 12VDC / PoE Input, IP66 Enclosure

[HBW2PR2 \(Data Sheet\)](#)

2MPx IP Bullet Camera, 2.7 - 12mm Motorized Focus & Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.264 Compression, 12VDC / PoE Input, IP66 Enclosure

[HBW4PER2 \(Data Sheet\)](#)

4MPx IP Bullet Camera, 2.7 - 13.5mm Motorized Focus & Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265+ Compression, 12VDC / PoE Input, IP66 Enclosure

B) [Ball Cameras](#)



[HED2PER3 \(Data Sheet\)](#)

2MPx IP Eyeball Camera, 2.8mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265+ Compression, 12VDC / PoE Input, IP66 Enclosure

[HEW4PER3 \(Data Sheet\)](#)

4MPx IP Eyeball Camera, 2.8mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265+ Compression, 12VDC / PoE Input, IP66 Enclosure

[HED8PR1 \(Data Sheet\)](#)

8MPx IP Eyeball Camera, 4mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265 Compression, 12VDC / PoE Input, IP66 Enclosure

[HEW2PR2 \(Data Sheet\)](#)

2MPx IP Eyeball Camera, 2.7 - 12mm Motorized Focus & Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.264 Compression, 12VDC / PoE Input, IP66 Enclosure

[HEW4PR2 \(Data Sheet\)](#)

4MPx IP Eyeball Camera, 2.7 - 12mm Motorized Focus & Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.264 Compression, 12VDC / PoE Input, IP66 Enclosure

C) [Dome Cameras](#)



[H4W4PER3 \(Data Sheet\)](#)

4MPx IP Dome Camera, 2.8mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265+ Compression, 12VDC / PoE Input, IP66 Enclosure

[H4D8PR1 \(Data Sheet\)](#)

8MPx IP Dome Camera, 4mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265 Compression, 12VDC / PoE Input, IP66 Enclosure

[H4W2PRV2 \(Data Sheet\)](#)

2MPx IP Dome Camera, 2.7 - 12mm Motorized Focus & Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.264 Compression, 12VDC / PoE Input, IP66 Enclosure

[H4W4PER2 \(Data Sheet\)](#)

4MPx IP Dome Camera, 2.7 - 13.5mm Motorized Focus & Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.265+ Compression, 12VDC / PoE Input, IP66 Enclosure

D) [Box Cameras](#)



[HCW2GV \(Data Sheet\)](#)

2MPx IP Box Camera, True Day / Night, Low Light Wide Dynamic Range, H.265+ Compression, Onboard Analytics Events, 12VDC / PoE Input.

[HCL2GV \(Data Sheet\)](#)

2MPx IP Box Camera, True Day / Night, Low Light Support, Ultra Wide Dynamic Range, H.265+ Compression, Onboard Analytics Events, 12VDC / PoE Input.

E) [PTZ Cameras](#)



[HDZP252DI \(Data Sheet\)](#)

1080p IP PTZ Camera, 25x Optical Zoom & 16x Digital Zoom, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 24VAC / PoE+ Input, IP66 Enclosure

[HDZP304DI \(Data Sheet\)](#)

4MPx IP PTZ Camera, 30x Optical Zoom & 16x Digital Zoom, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 24VAC / PoE+ Input, IP66 Enclosure

F) [Specialist Cameras](#)

[Fisheye](#)

[HFD5PR1 \(Data Sheet\)](#)

5MPx IP Fisheye Camera, 1.42mm Fixed Lens, Wide Dynamic Range, Indoor Installation, H.264 Compression, 12VDC / PoE Input



[Pancake](#)

[H2W2PRV3 \(Data Sheet\)](#)

2MPx IP Pancake Camera, 2.8mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.264 Compression, 12VDC / PoE Input, IP66 Enclosure



[H2W4PRV3 \(Data Sheet\)](#)

4MPx IP Pancake Camera, 2.8mm Fixed Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, H.264 Compression, 12VDC / PoE Input, IP66 Enclosure