

5-HD Cameras

Performance Series High-Quality Analog Cameras

The Performance Series HQA line includes a wide range of high performing IR cameras and NVRs/DVRs. The Performance HQA series includes cameras & NVRs compatible with most HDoC standards of the market.

A) Analog Bullet Cameras



HD

[HB30XD2 \(Data Sheet\)](#)

1080p HQ Analog Bullet Camera, 3.6mm Fixed Lens, True Day / Night, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HB74HD4 \(Data Sheet\)](#)

4MPx HQ Analog Bullet Camera, 3.6mm Fixed Lens, True Day / Night, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HB41XD2 \(Data Sheet\)](#)

1080p HQ Analog Bullet Camera, 2.7 - 13.5mm Varifocal Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HB42XD2 \(Data Sheet\)](#)

1080p HQ Analog Bullet Camera, 2.7 - 13.5mm Motorized Focus and Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HB276HD4 \(Data Sheet\)](#)

4MPx HQ Analog Bullet Camera, 2.7 - 12mm Motorized Focus and Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HBD42HD8 \(Data Sheet\)](#)

8MPx HQ Analog Bullet Camera, 3.7-11mm Motorized Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

B) [Analog Ball Cameras](#)



[HE30XD2 \(Data Sheet\)](#)

1080p HQ Analog Eyeball Camera, 3.6mm Fixed Lens, True Day / Night, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HD30HD4 \(Data Sheet\)](#)

4MPx HQ Analog Eyeball Camera, 3.6mm Fixed Lens, True Day / Night, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HE41XD2 \(Data Sheet\)](#)

1080p HQ Analog Eyeball Camera, 2.7 - 13.5mm Varifocal Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HE42XD2 \(Data Sheet\)](#)

1080p HQ Analog Eyeball Camera, 2.7 - 13.5mm Motorized Focus and Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

C) [Analog Dome Cameras](#)



[HD72HD4 \(Data Sheet\)](#)

4MPx HQ Analog Dome Camera, 2.8mm Fixed Lens, True Day / Night, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HD41XD2 \(Data Sheet\)](#)

1080p HQ Analog Dome Camera, 2.7 - 12mm Varifocal Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HD42XD2 \(Data Sheet\)](#)

1080p HQ Analog Dome Camera, 2.7 - 12mm Motorized Focus and Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[HD274HD4 \(Data Sheet\)](#)

4MPx HQ Analog Dome Camera, 2.7 - 12mm Motorized Focus and Zoom Lens, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 12VDC Input, IP66 Enclosure

[H4D42HD8 \(Data Sheet\)](#)

8MPx Analog Dome Camera, 3.7-11 mm Motorized Focus and Zoom Lens, Wide Dynamic Range, 2 High Power IR LEDs, 12 VDC/24VAC, IP66, IK10

D) [Analog Box Camera](#)



[HC2HD2 \(Data Sheet\)](#)

1080p HQ Analog Box Camera, True Day / Night, Wide Dynamic Range, 12VDC Input

E) [Analog PTZ Camera](#)

[HDZP30XD4 \(Data Sheet\)](#)

4MPx HQ Analog PTZ Camera, 30x Optical Zoom & 16x Digital Zoom, True Day / Night, Wide Dynamic Range, Indoor / Outdoor Installation, 24VAC Input, IP66 Enclosure



A) [Specialist Cameras](#)

[Fisheye Camera](#)

[HFD40HD4 \(Data Sheet\)](#)

4MPx HQ Analog Fisheye Camera, True Day / Night, Wide Dynamic Range, 1.18 mm MFZ Lens, 12 VDC, IP66, IK10



[Pin-Hole Camera](#)

[HPXD2 \(Data Sheet\)](#)

2.1MPx HQ Analog Pin-Hole Camera, True Day / Night, Wide Dynamic Range, 2.8 mm Lens, 12 VDC



[HB30PHD2 \(Data Sheet\)](#)

2MP HQ Analog IR Bullet Camera with PIR, True Day/Night, 2.8 mm Lens, 1 IR LED, 12 VDC, IP66



[HB30THD2 \(Data Sheet\)](#)

DN 1080P/720P IR Temperature & Humidity Bullet Camera, 1/2.9" 2 MP CMOS, 3.6 mm Lens, 12 IR LEDs, 12VDC, IP66

